



SHAKTI BRASS
INDUSTRIES

solide elegance



9586958984



shakti_brass_industries

www.shaktibrassindustries.com


Brass Hex Nut 02



| | |
|--------------|---|
| Product Name | Hex Nut |
| Hsn Code | 74153390 |
| Thread size | Mm |
| Application | Heavy Industry, Mining, Water Treatment, Healthcare, Retail Industry, Food & Beverage, General Industry, Oil & Gas, Automotive Industry |
| Coating | Chrome,Nickel,Zinc,Brass Natural Etc. |
| MATERIAL | BRASS |
| SIZE | AS PER REQUIRMENT |

Brass Dome Nut

03



| | |
|------------------------|---|
| Minimum Order Quantity | 100000 Dome nuts |
| HSN CODE | 74153390 |
| Available Thread Size | MM |
| Usage/Application | Machines |
| Product Type | Brass Dome Nut |
| Finish | Natural, or as per customer requirement |
| Size | AS per requirements |
| Material | Brass |

Trendy creation hub heavy weight capacity brass hanging hook kada with ring for zula swing ceiling kada chain hammock kadu

04



| | |
|------------------------|---|
| Minimum Order Quantity | 200 Set |
| Shape | Round |
| HSN CODE | 74199930 |
| Usage/Application | Home |
| Product Type | Trendy creation hub heavy weight capacity brass hanging hook kada with ring for zula swing ceiling kada chain hammock kada. |
| Finish | Natural, or as per customer requirement |
| capacity | 400 kg |
| Material | Brass |

Power Transformer Round Bushing Metal Parts

05



| | |
|------------------------|---|
| Minimum Order Quantity | 500 Set |
| Shape | Round |
| HSN CODE | 85049010 |
| Usage/Application | HV-LV Side |
| Product Type | Power Transformer Round Bushing Metal Parts |
| Finish | Natural, or as per customer requirement |
| Phase | Single Phase |
| Material | Brass |

TEST REPORT

TEST REPORT:-



No. : T-JR1705006237ML

Report No. : 0177

Product No. :

CUSTOMER NAME: HAN DAN YIDAO METAL PRODUCTS CO.,LTD
ADDRESS: NO.183 LIANFANG EAST ROAD,HAN DAN,HEBEI,China

Sample Name : Threaded steel bar
Product Specification : Φ 32mm, Thread bar length 600mm
Product No. : PSB930
Lot No. : 1705006237ML
Manufacturer : Handan Yidao Metal Products Co.,Ltd

1.HARDNES TEST

Material and Mark : Steel bar PSB930
Heat No. : 1705006237ML

2.WET ANALYSIS

Above information and samples were submitted and controlled by the client. SGS, however, assumes no responsibility to verify the accuracy, adequacy and completeness of the sample information provided by client.

3.SPECTROMETER

Quantity : 1
Date of Receipt : May 17, 2017

4.PLATING THICKNESS

Test result(s) : For further details, please refer to the following page(s)

(IF IN ADD FINISH)

Signed for
SGS-CSTC Standards Technical
Services(Tianjin) Co., Ltd

5.SGS TEST

Kevin Zhou
Authorized signatory

6.TENSILE TEST



When a client orders a service, the client and I agree to the terms listed in the Service Conditions of Service printed on the back of this report. The client agrees to pay the fee for the service and to accept the results of the service. The client agrees to indemnify and hold me harmless from and against all claims, damages, losses, and expenses, including reasonable attorneys' fees, that may be asserted against or incurred by me or my organization, its members, agents, or employees in connection with the service, whether or not such claims, damages, losses, or expenses result from the negligence of the client, its members, agents, or employees. The client's obligation to indemnify me shall survive the termination or completion of the service. The client's obligation to indemnify me shall not be limited by any cap on the amount or type of damages, compensation, or benefits payable by or for an employee or a third party under any workers' compensation act, disability benefit act, or other employee benefit act. My only obligation is to perform the service in accordance with the terms of the Service Conditions of Service. I am not liable for any indirect, special, or consequential damages, including lost profits, arising out of the service, even if I have been advised of the possibility of such damages. The client agrees to hold me harmless from and against all claims, damages, losses, and expenses, including reasonable attorneys' fees, that may be asserted against or incurred by me or my organization, its members, agents, or employees in connection with the service, whether or not such claims, damages, losses, or expenses result from the negligence of the client, its members, agents, or employees. The client's obligation to indemnify me shall survive the termination or completion of the service. The client's obligation to indemnify me shall not be limited by any cap on the amount or type of damages, compensation, or benefits payable by or for an employee or a third party under any workers' compensation act, disability benefit act, or other employee benefit act. My only obligation is to perform the service in accordance with the terms of the Service Conditions of Service. I am not liable for any indirect, special, or consequential damages, including lost profits, arising out of the service, even if I have been advised of the possibility of such damages.



Standard:-



| Size | s | | e | | m | |
|--------|-------|-------|------|-----|-----|-----|
| | min | max | min | max | min | max |
| M2 | 3.82 | 4.32 | 1.35 | 1.6 | | |
| M2.5 | 4.82 | 5.45 | 1.75 | 2 | | |
| M3 | 5.32 | 6.2 | 2.15 | 2.4 | | |
| (M3.5) | 5.82 | 6.7 | 2.55 | 2.8 | | |
| M4 | 6.78 | 7.66 | 2.9 | 3.2 | | |
| M5 | 7.78 | 8.79 | 3.7 | 4 | | |
| M6 | 9.78 | 11.05 | 4.7 | 5 | | |
| M7 | 10.73 | 12.12 | 5.2 | 5.5 | | |
| M8 | 12.73 | 14.38 | 6.14 | 6.5 | | |
| M10 | 16.73 | 18.9 | 7.64 | 8 | | |
| M12 | 18.67 | 21.1 | 9.64 | 10 | | |
| (M14) | 21.67 | 24.49 | 10.3 | 11 | | |
| M16 | 23.67 | 27.75 | 12.3 | 13 | | |
| (M18) | 26.16 | 30.56 | 14.3 | 15 | | |
| M20 | 29.16 | 32.95 | 14.9 | 16 | | |
| (M22) | 31 | 35.03 | 16.9 | 18 | | |
| M24 | 35 | 39.55 | 17.7 | 19 | | |
| (M27) | 40 | 45.2 | 20.7 | 22 | | |
| M30 | 45 | 50.85 | 22.7 | 24 | | |
| (M33) | 49 | 55.37 | 24.7 | 26 | | |
| M36 | 53.8 | 60.79 | 27.4 | 29 | | |
| (M39) | 58.8 | 66.44 | 29.4 | 31 | | |

9 Core Advantages

Explain How Strong We Are

Our nine core strengths explain how strong we are



Rust/Oxidation



Acid and alkali/
corrosion resistance



Durable and
wear-resistant



High strength
/hardness



Safety and environmental
protection



Higher precision



Seiko no burr



Strict detection



Select good
raw materials



Customer Satisfaction

Mutual Growth

Trouble-free Communication

Competitive Pricing

On-Time Dispatch Commitment

Latest and Updated Machinery

Thank
you!



HOPE ! WE WILL CONNECT
YOU SOON.